Caregiving in The Comfort of Home[®] Caregiver Assistance News "CARING FOR YOU ... CARING FOR OTHERS"

Winter Safety–Preventing Falls on Outings

Nearly everyone falls now and then, and some falls are unavoidable. But falling is *not* an inevitable consequence of aging. Most age-related falls are preventable once you know why they happen and take steps to minimize the risk for yourself and the person in your care whose age or health makes them especially vulnerable.

Dehydration can be a very common cause of falls in older adults. It can often cause dizziness and a drop in blood pressure, which can increase the risk of falling over.

According to the Centers for Disease Control and Prevention, even though one-third of adults age 65 and older experience a fall each year, fewer than half of these individuals tell their physician about it. It is essential to notify the doctor about the event. The doctor can make sure that an *invisible* injury did not cause or result from the fall. Have your doctor review all your medications, both prescription and overthe-counter, for their ability to cause dizziness or drowsiness. Wherever possible, eliminate or lower the dose of those that are potentially troublesome.

Fall Prevention Measures

- ✓ Staying in when it is rainy or icy outside.
- ✓ Wearing good foot support when walking. New shoes are slippery and crepe-soled shoes can cause the toe to catch.
- ✓ Having foot pain problems corrected and keeping toenails

trimmed and feet healthy for good balance.

- ✓ As needed, use a walker or cane for added stability.
- ✓ Consider wearing hip protectors for added protection should you fall.
- Stop at curbs and check the height before stepping up or down. Be cautious at curbs that have been cut away to allow access for bikes or wheelchairs. The incline may lead to a fall.
 Avoid gravel paths.
- ✓ Use a shoulder bag or fanny pack to leave your hands free to use hand rails as you go up and down steps and on escalators.
- ✓ Grip strength is a good indicator of health as we age. If you can hold onto something with a strong grip, that may break your fall and avoid injury.
- ✓ Having regular vision screening check-ups for eyeglasses.
- ✓ Using separate reading glasses and other regular glasses if bifocals make it difficult to see the floor.
- ✓ Look carefully at floor surfaces in public buildings. Many floors are polished marble or tile that can be very slippery.
- ✓ Consider wearing hip protectors for added protection should you fall.
- ✓ Water therapy is a safe way for a person with a disability and the elderly to exercise because there is no danger of falling.



Article continues

on page 2

Fear of Falling


Balance can be affected in a person with a disability, such as stroke, and consequently many elderly people fear falling. Certain eye and ear disorders may increase the risk of falls. If the person in your care has balance problems, dizziness, or a spinning sensation, a physical therapy referral from the doctor may help.

To reduce fear of falling, therapists often have people practice getting up from a lying position. This increases confidence that they can get up if they fall. Any amount of exercise helps reduce the risk of falls. A fall may occur because a person's reflexes have changed. As people age, reflexes slow down. Additionally, drinking alcoholic beverages also increases the risk of falling. Alcohol slows reflexes and response time; causes dizziness, sleepiness, or lightheadedness; alters balance; and encourages risky behaviors that can lead to falls.

Transferring from a Wheelchair to a Car

Be sure the car is parked on a level surface without cracks or potholes.

- Open the passenger door as far as possible.
- Move the left side of the wheelchair as close to the car seat as possible.
- **1** Lock the chair's wheels.
 - Move both footrests out of the way.





- -3

- < 2 Position yourself facing the person.
 - Tell him what you are going to do.
 - Bending your knees and hips, lower yourself to his level.
 - By grasping the transfer belt around his waist help him stand while straightening your hips and knees.
 - If his legs are weak, brace his knees with your knees.
 - While he is standing, turn him so he can be eased down to sit on the car seat. GUIDE HIS HEAD so it is not bumped.
 - **4** Lift his legs into the car by putting your hands under his knees.
 - Move him to face the front.
 - Put on his seat belt.
 - Close door carefully.

Source: Caregiving in the Comfort of Home: A Guide for Caregivers

DECEMBER 2023





An ounce of prevention is worth a pound of cure. — Benjamin Franklin

Inspiration

Memory Care - Well-being

Even if no fracture occurs, a fall can result in irreversible harm to an elderly person's health, social interactions and psychological well-being.

When older people fall they fear falling again, causing them to limit their activities and cause further physical decline, depression and social isolation, which in turn can hasten death.

2023 CareTrust Publication:

Caregiving in The Comfort of Home®

Our Purpose

To provide caregivers with critical information enabling them to do their job with confidence, pride, and competence.

Ordering Info

From the publishers of

Caregiving in The Comfort of Home[®]

Caregiver Series

available from...

CareTrust Publications LLC PO Box 10283, Portland, OR 97296 800-565-1533 or www.comfortofhome.com

Comments and suggestions welcome.

©2023 CareTrust Publications LLC. All rights reserved. Reproduction of any component of this publication is forbidden

without a license from the publisher.

Some content in this publication is excerpted from The Comfort of Home: Caregivers Series. It is for informational use and not health advice. It is not meant to replace medical care but to supplement it. The publisher assumes no liability with respect to the accuracy, completeness or application of information presented or the reader's misunderstanding of the text.

- SAFEETY TIPS- Outdoor Areas
 Safe outdoor areas are important, especially for those who are elderly and are mobile. Safety features—

 Footwear with good tread appropriate for the weather and surface conditions.
 Ramps for access on ground that is not level or even.
 A deck with a sturdy railing.
 Alarmed or locked outside doors for Alzheimer's care.
 Enough light to see walkway hazards at night.
 Nonslip step surfaces in good repair.
 Stair handrails tightly fastened to their fittings.
 Put salt or kitty litter on icy sidewalks.
 Cover porch steps with a gritty, weather-proof paint and step edges marked with reflective paint.
 - If sidewalks look slippery, walk in the grass for better traction.



QUIZ UICK

People with chronic illnesses that affect their circulation, sensation, mobility, or mental alertness as well as those taking some types of medications are more likely to fall as a result of drug-related side effects such as dizziness, confusion, disorientation, or slowed reflexes. Answer True or False to the questions below.

- 1. When transferring from a wheelchair to a car, place the wheelchair as close to the car seat as possible and lock the chair's wheels. ΤF
- 2. Having regular vision screening does *not* help prevent falls. ΤF
- 3. According to the Centers for Disease Control and Prevention, one-third of adults age 65 and older experience a fall each year. ΤF
- 4. Balance can be affected in a person with a disability, such as person living with stroke.

ΤF

- Certain eye and ear disorders may increase your risk of falls. 5. ΤF
- 6. When older people fall, they fear falling again, causing them to limit their activities.

ΤЕ

- 7. *Dehydration* can be a very common cause of falls in older adults. ΤF
- 8. Water therapy is a safe way for a person with a disability and the elderly to exercise because there is no danger of *falling*. ΤF
- Having foot pain problems corrected and keeping toenails trimmed and 9. feet healthy helps a person have good balance. ΤF
- 10. The incline at curbs that have been cut away to allow access for bikes or wheelchairs *cannot* lead to a fall.

ΤF

Name

© 2023 CareTrust Publications

Signature Date